POPULATION ESTIMATES	LONG-	TERM CARE	LOCAL HEALTH DEPARTMENTS				
Total 2003 Population 71,  Population per square mile	, 200 Community Options as HSRS reports	s and MA Waiver costs for services	Per 10,000 Staffing - FTE Number Population	)0 on			
Age Female Male To 0-14 7,670 8,050 15, 15-19 2,510 2,680 5,	COP COP	Ti ents Costs 7 \$383, 877 12 \$836, 852 121 \$4, 739, 587	Support staff 4.0 0.6	2 9 7 2 6			
25-29 2, 240 2, 310 4, 30-34 2, 500 2, 520 5, 35-39 2, 840 2, 850 5, 40-44 3, 220 3, 220 6,	730 CIP1A , 730 CIP1A , 200 CIP1B , 530 CIP2 , 560 COP-W , 020 CSLA , 690 Brain Injury , 440 Total COP/Wvrs	53 \$1, 130, 699 98 \$1, 401, 296 0 \$0 12 \$574, 510 303 \$8, 682, 944	Fundi ng Per capi t Total \$1, 360, 659 \$19. 40 Local Taxes \$692, 851 \$9. 88	ta 10 18			
55-64 3,090 3,240 6,	,760 ,330   \$281,094 of th	he above waiver cost	LI CENSED ESTABLI SHMENTSs				
75-84 1, 410 930 2, 85+ 790 320 1,	,330 using COP funds.	cal match/overmatch . This amount is above COP costs.	Type Capacity Facilitie Bed & Breakfast 28 10 Camps 1,262 11 Hotels, Motels 845 20 Tourist Rooming 0 1	es 0 1 20			
Age Female Male To 0-17 9,170 9,640 18,	* Wai ver costs include federal	I funding.	Tourist Rooming 0 1 Pools 31 Restaurants 292 Vending 10	2			
45-64 8, 350 8, 740 17, 65+ 4, 030 2, 910 6,	,090 Eligible and ,930 Waiting ,200	197 n/a					
Poverty Estimates for 2000		provided in county)					
Estimate (C.I AII ages 2,532 4.0% (8 Ages 0-17 753 4.3% (14	+/-) 198 Note: Eligible au 8%) will be phased 102 Waivers as avai 4%)	nd waiting clients into the COP and MA ilable.	Infants 43	22 33 60			
Average wage for jobs covered by unemployment compensation \$29, (place of work)  Labor Force Estimates  Civilian Labor Force 42, Number employed	Home Health Agend Patients Patients per 10, nual rage Nursing Homes Licensed beds Occupancy rate	ci es 1 499 , 000 pop. 70 9 602 77. 89 c. 31 518 5 or ol der	Col orectal 25 Lung and Bronchus 25 Prostate 20 Other sites 83 Total 173	6 3 25 25 20 33			
Civilian Labor Force 42, Number employed 40, Number unemployed 2, Unemployment rate	, 441   Resi dents age 6! 5. 7%   per 1, 000 popul	5 or older lation 71	Note: Totals shown are for invasive cancers only.				

			NATA	ALLTY					
TOTAL LIVE BIRTHS Crude Live Birth Rate		1, 018 14. 3	Birth Order First Second	Bi rths 414 359	Percent 41 35	Marital Stat of Mother Married	tus	Births 855	Percent 84
General Fertility Rat	:e	65. 7	Third Fourth or higher	160 81	16 8	Not married Unknown	d	162 1	16 <. 5
Live births with repo congenital anomalies	orted 1	3 1.3%	Unknown	4	<. 5	Education of Mother		Bi rths	Percent
Delivery Type Vaginal after		Percent	1st Prenatal Visit 1st trimester	887	Percent 87	Elementary Some high s	school	s 0 27	0 3
previ ous cesarean Forceps	21 5	2 <. 5	2nd trimester 3rd trimester	101 6	10 1	High school Some collection College graduation	ne	220 299	22 29
Other vagi nal	737	72	No visits	1	<. 5	College gra	aduate	464	46
Primary cesarean Repeat cesarean	148 107	15 11	Unknown	23	2	Unknown		8	1
· ·	Births		Prenatal Visits No visits	Bi rths 1	Percent <. 5	Smoking Stat	tus	Bi rths	Percent
<1, 500 gm	12	1. 2	1-4	10	1	Smoker		101	10
1,500-2,499 gm 2,500+ gm	60	5. 9 92. 9	5-9 10-12	237 503	23 49	Nonsmoker Unknown		904 13	89 1
Unknown	12 60 946 0	92. 9	13+	241	24	UTIKITOWIT		13	•
			Unknown	26	3				
1									
			Low Birthweight	10+ Tm	Tri mest	er of First Pr			/Links our
Race/Ethni ci ty	Births P	Percent	(under 2 500 am)	1st Tr Births	imester	2nd Trimest	ter	Other/	'Unknown Percent
White	Births P 986	97	(under 2,500 gm) Births Percent 71 7.2	1st Tr Bi rths 866 *	Trimest imester Percent 88	2nd Trimest	ter	Other/	
White Black/Afr. American American Indian	986 3 3	97 <. 5	(under 2,500 gm) Births Percent	Bi rths 866 *	imester Percent 88	2nd Trimest Births Perc 94 * *	ter cent	Other/ Bi rths	Percent
White Black/Afr. American American Indian	986 3 3	97 <. 5	(under 2,500 gm) Births Percent 71 7.2	Bi rths 866 * *	i mester Percent 88 75	2nd Trimest Births Perd	ter cent	Other/ Bi rths 26 * *	Percent
White Black/Afr. American American Indian	986	97 <. 5	(under 2,500 gm) Births Percent 71 7.2	Bi rths 866 *	imester Percent 88	2nd Trimest Births Perc 94 * *	ter cent 10	Other/ Births 26 *	Percent 3
Whi te BI ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no Laoti an/Hmong	986 3 3 12 3 11	97 <. 5 <. 5 1 <. 5 1	(under 2,500 gm) Births Percent 71 7.2  *	Bi rths 866 * * 9 * 6	imester Percent 88	2nd Trimest Births Perc 94 * 2 * 3 	ter cent 10 17 27 	0ther/ Bi rths 26 * * 1 * 2  Vi si t	Percent 3 8 18
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother	986 3 3 12 3 11  Fe Bi rths	97 <. 5 <. 5 1 <. 5	(under 2,500 gm) Births Percent 71 7.2  *	Bi rths 866 * * 9 * 6	imester Percent 88	2nd Trimest Births Perc 94 * * 2 * 3	ter cent 10 17 27  cenatal ter	0ther/ Bi rths 26 * * 1 * 2  Vi si t 0ther/	Percent 3 8
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15	986 3 3 12 3 11  Fe Bi rths 0	97 <.5 <.5 1 <.5 1	(under 2,500 gm) Births Percent 71 7.2  *	Bi rths 866 * * 9 * 6  1st Tr Bi rths	imester Percent 88	2nd Trimest Births Perc 94  * 2  * 3  eer of First Pr 2nd Trimest Births Perc	ter cent 10 17 27  renatal ter cent	0ther/ Bi rths 26 * * 1 * 2  Vi si t 0ther/	Percent 3 8 . 18 . 'Unknown
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19	986 3 3 12 3 11  Fe Bi rths 0 6 35	97 <.5 <.5 1 <.5 1 	(under 2,500 gm) Births Percent 71 7.2  *	Bi rths 866 * 9 * 6  1st Tr Bi rths 3 27	imester Percent 88	2nd Trimest Births Perc 94  * 2 * 3 cer of First Pr 2nd Trimest Births Perc 3 7	ter cent 10	Other/Births 26  * * 1 * 2 Visit Other/Births	Percent 3 8 . 18 . /Unknown Percent 3
White BI ack/Afr. American American Indian Hi spanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24	986 3 3 12 3 11  Fe Bi rths 0 6 35 170	97 <.5 <.5 1 <.5 1 	(under 2,500 gm) Births Percent 71 7.2  *	Bi rths 866 * 9 * 6  1st Tr Bi rths 3 27 147	i mester Percent 88	2nd Trimest Births Perc 94  * 2 * 3 cer of First Pr 2nd Trimest Births Perc 3 7 20	ter cent 10	Other/Births 26  * 1 * 2 Visit Other/Births	Percent 3 8 . 18 . /Unknown Percent 3
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34	986 3 3 12 3 11 	97 <.5 <.5 1 <.5 1 <.5 1  ertility Rate 4 34 78 154 128	(under 2,500 gm) Births Percent 71 7.2  *	Bi rths 866 * 9 * 6  1st Tr Bi rths 3 27 147 309 286	i mester Percent 88	2nd Trimest Births Perc 94  * 2 * 3	ter cent 10	Other/Births 26  * 1 * 2 Visit Other/Births	Percent 3 8 . 18 . /Unknown Percent 3
White BI ack/Afr. American American Indian Hi spanic/Latino Laotian/Hmong Other/Unknown	986 3 3 12 3 11 	97 <.5 <.5 1 <.5 1 <.5 1  ertility Rate 4 34 78 154 128 39	(under 2,500 gm) Births Percent 71 7.2  *	Bi rths 866 * 9 6 	i mester Percent 88	2nd Trimest Births Perc 94  * 2 * 3 Ser of First Pr 2nd Trimest Births Perc 3 7 20 22 29 13	ter cent 10	Other/Births 26  * 1 * 2 Visit Other/Births	Percent 3 8 . 18 . /Unknown Percent 3
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34	986 3 3 12 3 11 	97 <.5 <.5 1 <.5 1 <.5 1  ertility Rate 4 34 78 154 128	(under 2,500 gm) Births Percent 71 7.2  *	Bi rths 866 * 9 * 6  1st Tr Bi rths 3 27 147 309 286	i mester Percent 88	2nd Trimest Births Perc 94  * 2 * 3	ter cent 10	Other/Births 26  * * 1 * 2 Visit Other/Births	Percent 3 8 . 18 /Unknown Percent .

MORBI DI TY	Mi	ORTALLTY
REPORTED CASES OF SELECTED DI SEASES*	Note: Death rates (except infant) are   neonatal, and postneonatal death   Perinatal and fetal death rates	per 100,000 population. Infant, rates are per 1,000 live births.
Di sease Campyl obacter Enteritis Gi ardi asi s Hepatitis Type A Hepatitis Type B** Hepatitis NANB/C Legi onnai re' s Lyme Measl es Meni ngi ti s, Asepti c Meni ngi ti s, Bacteri al Mumps Pertussi s Sal monel l osi s Tubercul osi s	TOTAL DEATHS 464 Crude Death Rate 652  Age Deaths Rate 1-4 5-14 1 . 15-19 2 . 20-34 16 . 35-54 39 170 55-64 44 694 65-74 71 2,036 75-84 115 4,931 85+ 171 15,364	Selected Underlying Cause Deaths Rate Heart Disease (total) 117 164 Ischemic heart disease 76 107 Cancer (total) 109 153 Trachea/Bronchus/Lung 34 48 Colorectal 8 . Female Breast 5 .* Cerebrovascular Disease 35 49 Lower Resp. Disease 27 38 Pneumonia & Influenza 13 . Accidents 29 41 Motor vehicle 20 28 Diabetes 13 . Infect./Parasitic Dis. 9 . Suicide 12 .
<ul> <li>* 2003 provisional data.</li> <li>** Includes all positive HBsAg test results.</li> </ul>	Infant Mortality Deaths Rate Total Infant 5 . Neonatal 3 . Postneonatal 2 . Unknown	* Based on female population.  ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH
Sexually Transmitted Disease Chlamydia Trachomatis 75 Genital Herpes 21 Gonorrhea 11 Syphilis 0	Race of Mother Whi te 5 . Bl ack Hi spani c Laoti an/Hmong Other/Unknown	Al cohol 8 . Other Drugs 50* 70 Both Mentioned 2 . * Includes tobacco use (see page 7).  MOTOR VEHICLE CRASHES
Children in Grades K-12 by Compliance Level Compliant 12,348 Non-compliant 89 Percent Compliant 99.3	Birthweight <1,500 gm 2 . 1,500-2,499 gm 2 . 2,500+ gm 1 . Unknown .  Perinatal Mortality Deaths Rate Total Perinatal 6 . Neonatal 3 . Fetal 3 .	Note: These data are based on location of crash, not on residence.  Type of Motor Persons Persons Vehicle Crash Injured Killed Total Crashes 689 20 Alcohol-Related 75 7 With Citation: For OWI 43 1 For Speeding 30 0 Motorcyclist 42 1 Bicyclist 5 0 Pedestrian 6 0

			- 2003 HOSP	ITALIZATIONS					
	Per Ave	rage	Charge				Average		Charge
DI SEASE /	1,000 S	taў Average	Per	DI SEASE /		1,000	Stay	Average	
AGE GROUP Number	Pop (Da	ays) Charge	Capi ta	AGE GROUP	Number	Pop	(Days)	Charge	Capi ta
						[-	()-/	5 <b>9</b> -	
Injury-Related: All				Al cohol -Rel ated	1				
Total 245	3. 4	3. 5 \$11, 874	\$41	Total	100	1.4	4.8	\$3, 788	\$5
<18 21		1. 6 \$6, 108	\$7	18-44	68	2. 4	4. 5	\$3, 571	\$9
18-44 47	1. 7	2. 4 \$9, 538	\$16	45-64	24	1. 4	5. 5	\$3, 799	\$5
45-64 49		4. 2 \$14, 667	\$42	Pneumoni a and I		1. 4	5. 5	Ψ5, 177	ΨΟ
65+ 128	18. 5	3. 9 \$12, 609	\$233	Total	231	3. 2	4. 1	\$8, 732	\$28
Injury: Hip Fracture	10. 5	J. 7 \$12,007	Ψ <b>Z</b> JJ	<18	38	2. 0	2. 1	\$3, 047	\$6
Total 46	0.6	4. 7 \$19, 121	\$12	45-64	29	1.7	3. 4	\$3, 047 \$7, 289	\$12
65+ 45			\$124	65+	147	21. 2		\$10, 806	
	0. 5	4. 7 \$19, 095	\$124			21.2	4. 9	\$10,806	\$229
Injury: Poisonings				Cerebrovascul ar		4 4	2 5	<b>40.</b> (05	<b>#10</b>
Total 11				Total	77	1. 1	3. 5	\$9, 685	\$10
18-44 5	•		•	45-64	15				
				65+	_61	8.8	3.6	\$9, 277	\$82
Psychi atri c				Chronic Obstruc		onary D	i sease		
Ťotal 182	2.6	6. 5 \$5, 460	\$14	Total	108	1. 5	3. 3	\$7, 159	\$11
<18 21		6. 5 \$4, 490	\$5	<18	10				
18-44 104		6. 1 \$4, 680	\$17	18-44	14				
45-64 43	2. 5	7. 6 \$6, 360	\$16	45-64	26	1. 5	3. 0	\$6, 596	\$10
65+ 14				65+	58	8. 4	4. 1	\$8, 917	\$75
				Drug-Rel ated				, -,	*
Coronary Heart Disease				Total	38	0. 5	9. 0	\$6, 763	\$4
Total 151	2. 1	2. 9 \$11, 475	\$24	18-44	24	0.8	7. 5	\$4, 818	\$4
45-64 41		1. 8 \$9, 742	\$23	10 44	27	0.0	7. 5	ψ+, 010	ΨΤ
65+ 108		3. 3 \$12, 259	\$191	Total Hospitali	zati one				
03+ 100	15.0	J. J \$12, 237	Ψ171	Total	4, 354	61. 2	3. 1	\$7, 999	\$489
Malignant Neoplasms (Ca	ncore). All	1		<18	763	40. 5	2. 2	\$7, 999 \$2, 285	\$93
Walighali Neopiasiis (Ca	1 1	I 4 0   ф1	\$17	18-44		40. 3 44. 4			Φ90 Φ20Γ
Total 80	1. 1	4. 2 \$15, 336	\$17		1, 258	44.4	2. 7	\$6, 425	\$285
18-44 6				45-64	793	46. 4		\$10, 356	\$480
45-64 31	1.8	3. 4 \$13, 466	\$24	65+	1, 540	222. 1	3.8	\$10, 902	\$2, 422
65+ 43	6.2	5. 0 \$17, 044	\$106					NO.	
Neoplasms: Female Bre			opulation)		REVENTABLE				
Total 13				Total	782	11.0	3. 3	\$7, 764	\$85
Neoplasms: Colo-recta	I			<18	104	5. 5	1. 7	\$2, 985	\$16
Total 16				18-44	103	3. 6	2. 2	\$5, 762	\$21
65+ 7				45-64	137	8.0	2. 7	\$7, 149	\$57
Neoplasms: Lung				65+	438	63. 2	4. 1	\$9, 562	\$604
Total 9								-	
Di abetes				* Hospitalizations	s for cond	i ti ons	where ti	mely and	effecti ve
Total 35	0. 5	3. 3 \$8, 581	\$4	ambulatory care ca	an reduce	the lik	el i hood	of hospi	tal i zati on.
65+ 15								1	
		•	-						
				ı 					